



Meet the Bosch BGH96 Furnace

Introducing Bosch's first condensing furnace, the BGH96 Series. With 96% AFUE heating efficiency and a multipoise design, it is the perfect solution to efficiently heat your home. The multipoise design makes it even easier to replace your existing equipment or install them in your new home. You can also integrate the Bosch BGH96 Furnace with Bosch's IDS Outdoor Units and Cased Coils* for a complete and highly efficient heating and cooling system. Between ease of installation, integration and troubleshooting, this Bosch Furnace offers convenience and peace of mind.

Features

- ▶ Up to 96% AFUE heating efficiency, ENERGY STAR rated
- ▶ 5-year parts limited warranty, 20 year heat exchanger limited warranty**
- ► Reliable, proven two-stage design
- ➤ 3-way multipoise design allows for flexibility in multiple types of installations, available in upflow (right or left return) and horizontal orientations
- ► Field convertible gas type for hassle-free installation, all furnaces come standard with a natural gas to propane gas conversion kit
- ▶ 2 stage x13 ECM motors for all models for quiet and efficient operation
- ► Hot-surface ignition for dependable operation
- Durable aluminized steel tubular heat exchanger and stainless-steel secondary heat exchanger
- ▶ Pairs with Bosch IDS heat pump, reaching up to 18 SEER
- ► Low Profile cabinet construction allows for installation in tight spaces. Convenient left or right-hand connection for gas and electric service. The cabinet is painted galvanized steel with an anti-rust coating, that passes a 500 hours salt spray test
- ► LED fault diagnostics for quick and easy service calls



Why Choose The Bosch BGH96 Furnace

Savings

Homeowners will see the savings on their energy bills by converting up to 96% of the fuel purchased to heat their home. The furnace's two-stage gas valve switches between high and low fire settings, allowing enhanced comfort and more efficient operation than single stage technology.

System Efficiency


Dual fuel systems are the ideal solution to maximize comfort and efficiency. Bosch offers a complete dual fuel system with the Bosch Inverter Ducted Split (IDS) heat pump, Bosch BMAC cased coil, Bosch 96% AFUE Gas Furnace and the Bosch Connected Control thermostat. In the summer, the Bosch IDS efficiently cools and dehumidifies your home. In the shoulder seasons, the IDS system will provide the exact amount of heating or cooling that your home requires, no more, no less. In the colder months, the system senses when it is more economical for the heat pump to shut off and the Bosch BGH96 gas furnace to take over. Installing a Bosch matched dual fuel system is the best choice to optimize both savings and comfort.

Residential Limited Warranty**

With the residential limited warranty, you receive peace-of-mind knowing you will receive replacement parts protection for up to 5 years and up to 20 years on the heat exchanger. This offering covers all components incorporated into the BGH96 Furnace at the time of manufacture. All other components or parts that are purchased from Bosch and installed in the field have a 1 year parts warranty.

Know Your Components

- Air Intake
- B High/Low Fire Pressure Switches
- **C** Ignitor
- Burners
- Flue
- Flame Sensor
- G Gas Valve
- Inducer
- CondensateOverflow Switch
- Secondary Heat Exchanger
- K Control Board
- Blower Motor



AHRI 210/240 Dual Fuel Performance Data											
SYSTEM	OUTDOOR UNIT	CASED COIL	FURNACE MODEL	HEAT PUMP COOLING CAPACITY (BTU/HR)			HEAT PUMP HEATING CAPACITY (BTU/HR)			O.E.M.	
				TOTAL	EER'''	SEER""	HI	HSPF****	LOW	CFM	
2 Ton	BOVA-36HDN1-M18M	BMAC2430ANTD	BGH96M060B3A	23600	12.5	18	24000	9.5	17000	780/630	
	BOVA-36HDN1-M18M	BMAC2430ANTD	BGH96M080B3A	23600	12.5	18	24000	9.5	17000	750/550	
	BOVA-36HDN1-M18M	BMAC2430BNTD	BGH96M060B3A	24000	12.5	18	24000	9.5	18000	820/680	
	BOVA-36HDN1-M18M	BMAC2430BNTD	BGH96M080B3A	24000	12.5	18	24000	9.5	18000	800/600	
3 Ton	BOVA-36HDN1-M18M	BMAC3036ANTD	BGH96M060B3A	33000	10.5	16.5	34200	9	22600	1050/800	
	BOVA-36HDN1-M18M	BMAC3036ANTD	BGH96M080B3A	33000	10.5	16.5	34200	9	22600	1050/800	
	BOVA-36HDN1-M18M	BMAC3036BNTD	BGH96M060B3A	33600	10.6	16.5	34200	9	23000	1100/850	
	BOVA-36HDN1-M18M	BMAC3036BNTD	BGH96M080B3A	33600	10.6	16.5	34200	9	23000	1100/850	
	BOVA-36HDN1-M18M	BMAC3036CNTD	BGH96M080C4A	34000	10.6	16.5	34200	9	23000	1000/800	
	BOVA-36HDN1-M18M	BMAC3036CNTD	BGH96M100C5A	34000	10.6	16.5	34200	9	23000	1050/800	
4 Ton	BOVA-60HDN1-M18M	BMAC4248BNTF	BGH96M080B3A	43000	10.5	17.5	45500	9	31000	1200/1000	
	BOVA-60HDN1-M18M	BMAC4248CNTF	BGH96M080C4A	44000	11	18	46000	9	31500	1500/1200	
	BOVA-60HDN1-M18M	BMAC4248CNTF	BGH96M100C5A	45000	11.2	18	47000	9	31500	1450/1150	
	BOVA-60HDN1-M18M	BMAC4248DNTF	BGH96M100D5A	45500	11.2	18	47000	9	32000	1450/1200	
	BOVA-60HDN1-M18M	BMAC4248DNTF	BGH96M120D5A	45500	11.2	18	47000	9	32000	1450/1200	
5 Ton	BOVA-60HDN1-M18M	BMAC4860CNTF	BGH96M100C5A	52500	10	17	53500	9.5	37000	1400/1100	
	BOVA-60HDN1-M18M	BMAC4860DNTF	BGH96M100D5A	53000	10.5	17.5	54000	9.5	38000	1450/1150	
	BOVA-60HDN1-M18M	BMAC4860DNTF	BGH96M120D5A	53000	10.5	17.5	54000	9.5	38000	1450/1150	



The Complete & Highly Efficient Dual Fuel Heating and Cooling System For Your Home



Bosch's BGH96 Furnace

The BGH96 Gas Furnace is Bosch's first condensing furnace. Offering up to 96% efficiency, a two-stage gas valve, and a multi-speed blower, this ENERGY STAR rated furnace offers premium comfort and energy savings.



Bosch's Cased Coil

The Inverter Ducted Split Evaporator Coil, when paired with a Bosch furnaces and IDS outdoor condensing sections, delivers some of the best comfort levels and efficiency on the market today. Bosch offers a complete range of evaporator coils to fit your needs.



Bosch's IDS Unit*

The robust Bosch Inverter Ducted Split Air Source Heat Pump system utilizes just the right amount of energy to achieve ultimate comfort and maximum efficiency while keeping sound levels to a minimum.



Bosch's BCC100*

The BCC100 is a sleek, internet-connected thermostat that offers easy all-in-one control for your heating and cooling systems. It can be controlled using the Bosch Connected Control app and is compatible with most 24VAC HVAC equipment on the market.

System & Technical Information

Bosch Part Number -	7738006501								
Cabinet Size (DxH) Inch (28-1/2) x (33-3/4) Fuel Type - Natural Gas/Propane Gas* AFUE % 96 ENERGY STAR Rating - WG/LP (High) Btu/h 60000 80000 80000 100000	-								
Fuel Type - Natural Gas/Propane Gas' AFUE % 96 ENERGY STAR Rating - Input NG/LP (High) Btu/h 60000 80000 100000 100000	1.5								
AFUE % 96 ENERGY STAR Rating -									
NG/LP (High) Btu/h 60000 80000 80000 100000 100000									
NG/LP (High) Btu/h 60000 80000 100000 100000									
Input									
Input	120000								
NG/LP (Low) Btu/h 39000 52000 52000 65000 65000	78000								
NG/LP (High) Btu/h 57000 76000 76000 95000 95000	106500								
Output NG/LP (Low) Btu/h 37000 49000 49000 62000 62000	75000								
Air Temperature Rise °F 30-60 35-65	40-70								
Design Max. Outlet Air Temperature °F 160 165	170								
Heating in. WC 0.12 0.15 0.15 0.2 0.2	0.2								
Certified EXT Static Pressure Cooling in. WC 0.5 0.5 0.5 0.5	0.5								
Tons AC @ 0.5" ESP Tons 1.5/2/2.5/3 2.5/3/3.5/4 3.5/4/4.5/5									
Power Supply V/Hz/PH 115V/60HZ/1PH									
Max Overcurrent Protection (MOP) Amps 15 20									
Blower Motor Full Load Amps 8 8 7.8 11.5 10.5	10.5								
Type - x13 ECM									
Circulating Blower Motor Diameter Blower Inch 12 3/8 12 3/4									
Height Blower Inch 8 11 1/4	11 1/4								
Number of Speeds 5	Number of Speeds 5								
	Speed Settings High/Mid-High/Mid/Low/Low								
	1050 (rated)								
	63±10%								
Power Input (Low) W 37±10% 42±10%									
Circuating Fan Motor Motor Horsepower HP 3/4 1									
Natural Gas in. WC 10.5									
Max.Inlet Gas Pressure Propane Gas (LP) in. WC 13									
Natural Gas in. WC 4.5									
Min.Inlet Gas Pressure									
	11								
Natural Gas Working Pressure in. WC High Fire:3.5 Low Fire:1.6									
Propane Gas Working Pressure in. WC High Fire:10 Low Fire:4									
Natural Gas Orifice (0-2000 Feet) # 45									
Propane Gas Orifice (0-2000 Feet) # 55									
Number of Burners - 3 4 4 5 5	6								
Primary Heat Exchanger Diameter Inch 1 3/4									
Primary Heat Exchanger# Tubes34455	6								
Secondary Heat Exchanger Diameter Inch 3/8									
Secondary Heat Exchanger # tubes 33 33 39 39 48	48								
(High) in. WC Pressure Switch Factory Setting									
(Low) in. WC 0.55	0.55								
Rollout Switch - Resettable Off/On °F 300	300								
Inlet High Temp Limit Switch - Fixed Off/On °F 150/120 130/100 150/120									
Gas Connection Size in. NPT 1/2	1/2								
Ignitor Type - Hot surface									
	174								

About Bosch

Bosch Group

The Bosch Group is a leading global supplier of technology and services in the areas of Automotive, Industrial Technology, Consumer Goods and Building Technology. The company was founded in Stuttgart, Germany, in 1886 and presently has more than 440 subsidiaries and is represented in over 150 countries.

In the U.S., Canada and Mexico, the Bosch Group manufactures and markets automotive original equipment and aftermarket solutions, industrial drives and control technology, power tools, security and communication systems, packaging technology, thermotechnology, household appliances and software solutions. The Bosch Group's products and services are designed to improving quality of life by providing innovative and beneficial solutions. In this way, the company offers technology worldwide that is "Invented for life." Additional information is available online at boschheatingandcooling.com and bosch.ca.

Bosch Thermotechnology in North America

Bosch Thermotechnology is a leading source of high quality water heating and comfort systems. The company offers gas tankless, electric whole house and point-of-use water heaters, Bosch and Buderus floor-standing and wall mounted boilers, Bosch and FHP geothermal, water-source and air-source systems as well as controls and accessories for all product lines. Bosch Thermotechnology is committed to being Simply Smart by offering products that work together as integrated systems that enhance quality of life in an ultra-efficient and environmentally friendly manner. For more information, visit boschheatingandcooling.com.

Bosch Water-Source Heat Pumps: Made in the U.S.A.

Bosch and FHP water-source and geothermal heat pumps are made by highly trained and skilled workers in our factory based in Fort Lauderdale, Florida. They are manufactured with rigorous standards and factory testing ensuring high efficient operation over the life of the unit. Bosch's ISO 9001 and ISO 14001 certified facilities provide consistent quality in every unit built.









Bosch Thermotechnology Corp.

Watertown, MA • Londonderry, NH • Ft. Lauderdale, FL General Inquiries: 1-866-642-3198

Copyright © 2019 Bosch Thermotechnology Corp. All rights reserved. Subject to change without notice.